



08 10 25

WHY WAIT? -

LIGHT



**Led
Hmi
Tubes
Panels
Diffusers
Modifiers
Clothes**

Via Adelaide Bono Cairoli, 20
20127 Milano
Booking Rental
rental@recdistrikt.com
342 74 92 831
Booking Studio
studio@recdistrikt.com
342 74 92 831
Orari
dal lunedì al venerdì
09:30 - 13:00
14:00 - 18:30



GENERAL RENTAL TERMS AND CONDITIONS

The rental of spaces and tangible assets owned by our company (or in any case materially and legally available to Rec Distrikt SRL) is governed by these General Rental Terms and Conditions, which must be fully accepted, without any reservation, at the time of confirmation of the quotation by email, or by signing the quotation prior to the scheduled date for collection of the equipment, even where collection is carried out by third parties, or in the case of use of the premises.

Art. 1 - The equipment and instruments rented are in perfect working condition, tested and ready for their intended use, and must be returned in the same condition at the end of the rental period.

By signing these General Terms and Conditions and the delivery note (DDT), the Contractor expressly acknowledges the perfect state of use, maintenance and operation of the equipment and instruments, as well as their completeness with all accessories necessary for operation.

The equipment and instruments shall be delivered to the Contractor at the premises of Rec Distrikt SRL or at the delivery address agreed in writing.

Should the equipment be collected by a person other than the Contractor or an employee of the Contractor, this must be communicated in writing at the time of the rental request, and the delegate must be provided with written authorization, including the power to sign the delivery note, with the Contractor assuming full responsibility in this regard.

Art. 2 - The equipment rented by Rec Distrikt SRL is prepared in accordance with applicable regulations. The Client, who will carry out installation and connections, also through third parties, must strictly comply with all safety regulations, assuming full criminal, civil and fiscal liability, and expressly indemnifying and holding harmless Rec Distrikt SRL from any damage caused to third parties or to the Contractor itself arising from the use of the rented equipment and instruments.

Art. 3 - The Client is required to communicate any changes. Rentals cancelled within 24 hours prior to the scheduled collection date shall still be invoiced, and the Contractor shall be required to pay the full agreed rental price.

In the case of a Monday collection, Friday shall always be considered the last available day for cancellation.

Art. 4 - The price list may be subject to change without prior notice. Rec Distrikt SRL shall apply in its invoices the prices indicated in the price list in force on the day of collection.

Art. 5 - The rented equipment may also be used abroad, in which case the lessee undertakes to request written authorization from Rec Distrikt SRL and the preparation of the relevant documentation.

Art. 6 - The rental ends on the date indicated in the confirmation, at which time the equipment and instruments must be returned in perfect condition to the premises of Rec Distrikt SRL.

Return must take place strictly by 8:00 p.m. on the last rental day or by 10:00 a.m. on the day following the last rental day. Any different agreement must be made in writing.

Following return, Rec Distrikt SRL shall inspect the equipment and reserves the right to raise observations and objections within five (5) days from the actual return.

In approval, pursuant to and for the purposes of Articles 1341 et seq. of the Italian Civil Code, the Contractor expressly declares acceptance of the following clauses (Art. 1, Art. 2, Art. 3, Art. 4, Art. 6, Art. 8, Art. 9, Art. 10 and Art. 11), also initialing each page to confirm review and specific approval of each clause and condition.

Rec Distrikt SRL The Contractor

In the event of failure to return the equipment within the agreed term, the Contractor shall be required to pay the rental fee also for the day scheduled for return and, in any case, until actual return, with the consequence that any delay in returning the equipment shall be considered an extension of the rental period, without prejudice to compensation for any greater damage suffered.

Art. 7 - Unless otherwise agreed, the rental period is calculated in days, based on the arithmetic difference between the return date and the collection date. The equipment may be collected on the afternoon of the previous day, from 4:00 p.m.

The minimum rental period is one (1) day.

Art. 8 - In the event of missing, damaged, spoiled or improperly used equipment (including, by way of example only, blown lamps or laundry costs for fabrics), such items shall be charged to the Client at market price.

Partial returns of components belonging to the same piece of equipment are not accepted.

Rental days shall be calculated until the full and complete return of all rented equipment and instruments.

Art. 9 - The Contractor acknowledges that the equipment and instruments rented from Rec Distrikt SRL are not insured against theft or damage of any kind.

Therefore, the Contractor shall be directly and fully responsible in the event of theft, fire or loss of the equipment, having assumed custody of the assets at the time of collection, including in cases of collection via courier and/or delegate.

In all cases, the Contractor must inform Rec Distrikt SRL of any damage and/or event concerning the rented equipment.

Art. 10 - Rec Distrikt SRL shall not be held liable for any damage suffered by the Contractor or third parties arising from or connected with the use of the rented equipment and instruments, including, without limitation, direct damages or loss of profits due to malfunction or failure of the equipment, whose condition was in any case compliant at the time of delivery.

Any objections regarding the condition of the equipment must be raised at the time of collection, failing which any claim shall be forfeited.

Art. 11 - Any dispute relating to the interpretation and/or execution of this contract shall be subject to the exclusive jurisdiction of the Court of Milan, to the exclusion of any other court.

CREAMSOURCE VORTEX 8

ITEM DESCRIPTION



IN THE BOX

- 1x LED Panel
- 1x Yoke Mount
- 1x Dome Diffuser
- 1x Power cable


EXTRA

- 1x DoPchoice SNAPBAGS®
- 1x DoPchoice SNAPGRIDS® 40°

PRICE € 420

NOTES

Power	650 W
Weight	16 Kg
Dimension	69 x 38 x 12 cm (without yoke)
Built-IN Battery	NO
White Light	2,200 K to 15,000 K
Colored Light	Full RGB+W
Color Rendition	CRI Typical 95, TLCI Typical 95
Beam Angle	20° HPA Native, 110° HPA with Dome diffuser
IP Rating	IP65 (water resistant)
Mount	28M



ARRI SKYPANEL s30c - s60c - s120c

ITEM DESCRIPTION



IN THE BOX

1x LED Panel
1x Ballast
1x Power cable
1x Head cable

EXTRA

1x V-Mount Battery Adapter Plate for S30-C
1x Center Mount Yoke
1x Skypanel Remote
1x 4-leaf Barndoor for SkyPanel S60-C
1x Diffusion Intensifier for SkyPanel S60-C
1x Chimera Octaplug5 for SkyPanel S60-C + Grid 50°
1x DoPchoice SNAPBAG® & SNAPGRID® S30/S60/S120

PRICE


SkyPanel S30-C	€ 159
SkyPanel S60-C	€ 189
SkyPanel S120-C	€ 239

NOTES

Model	S30-C	S60-C	S120-C
Power	200 W	400 W	400 W
Weight	7,7 Kg	12,6 Kg	16,5 Kg
Built-IN Battery	NO	NO	NO
Dimension	39x49x13 cm	82x56x13 cm	133x58x13 cm
White Light	2,800 K to 10,000 K		
Colored Light	Full RGB+W Color Gamut with Hue and Saturation Control		
Color Rendition	CRI Average > 95, TLCI Average > 91		
Beam Angle	105° HPA		
IP Rating	IP20		
Mount	28M		

NANLUX EVOKE 5000B

ITEM DESCRIPTION



IN THE BOX

- 1x Evoke 5000B Head
- 1x Yoke
- 1x AC Cable 2m / 32A
- 1x Reflector 30°
- 1x WC-EXT Wired Controller

PRICE € 349

EXTRA


- 1x RF-NL-L-30/45/60 (30°/45°/60° Reflector)
- 1x NL-70 (Parallel Beam Reflector 6°)
- 1x PJ-NLM-15-30 (Projection Attachment 15°-30°)
- 1x FL-35E (Motorized Fresnel Lens 15-46°)
- 1x SB-NLM-120/150-PR (Parabolic Softbox 120/150cm)
- 1x SB-NLM-150-O (Octagonal Softbox 150cm)
- 1x LT-NLM-120 (Lantern Softbox 120cm)

NOTES

Power	5000 W
Weight	45 Kg
Dimension	55,7 x 46,2 x 42,4 cm
Built-IN Battery	NO
White Light	NEBULA B4 / 2,700 K to 6,500 K
Colored Light	NO
Color Rendition	CRI 98 / TLCI 96
Beam Angle	95°
IP Rating	IP66
Mount	28M / NL Mount / 32A

NANLUX EVOKE 2400B

ITEM DESCRIPTION



IN THE BOX

- 1x Evoke 2400B Head
- 1x Yoke
- 1x Power Supply
- 1x RF-NL-L-45 Reflector 45°x1
- 1x AS-CP-QR-EV Quick Release Clamp
- 1x WS-RC-C2 Remote Controller
- 1x DC Connection Cable 7.5M
- 1x AC Power Cable 2.5M / 16A

PRICE € 269

EXTRA

- 1x RF-NL-L-30/45/60 (30°/45°/60° Reflector)
- 1x NL-70 (Parallel Beam Reflector 6°)
- 1x PJ-NLM-15-30 (Projection Attachment 15°-30°)
- 1x FL-35E (Motorized Fresnel Lens 15-46°)
- 1x SB-NLM-120/150-PR (Parabolic Softbox 120/150cm)
- 1x SB-NLM-150-O (Octagonal Softbox 150cm)
- 1x LT-NLM-120 (Lantern Softbox 120cm)

NOTES

Power	2400 W
Weight	15 Kg
Dimension	42,8 x 31,6 x 26,5 cm
Built-IN Battery	NO
White Light	2,700 K to 6,500 K
Colored Light	NO
Color Rendition	CRI 96 / TLCI 97
Beam Angle	95°
IP Rating	IP55
Mount	28M / NL Mount

LIGHT MODIFIERS

ITEM DESCRIPTION



SB-NLM-120/150-PR
Parabolic Softbox 120/150cm



SB-NLM-150-O
Octagonal Softbox 150cm




LT-NLM-120
Lantern Softbox 120cm

PRICE



NL-70
Parallel Beam Reflector 6°



FL-35E
Motorized Fresnel Lens 15-46°



PJ-NLM-15-30
Projection Attachment 15°-30°

ASTERA TITAN TUBE KIT

ITEM DESCRIPTION



IN THE BOX

8× FP1 Titan Tube (FP1)
 1× PowerBox (FP1-PWB)
 16× EyeBolts (FP1-EBLT)
 16× Holder (AX1-H)
 16× Babypin 1/4" (AX-BBP-1/4)
 8× Stand (AX1-STD)
 1× Charging case for Titan Tube
 1× PowerCON TRUE1 cable
 8× DC cables
 8× Waterproof covers for charging port (FP1/2-SP)

EXTRA

3× Caligri Air Tube
 2× PunkLight Lightsock 40 Dooplo
 8× DoPchoice SNAPGRIDS® 40°
 1× Astera Box + Tablet
 4× AC adapter

PRICE € 249

NOTES

Power	72 W each
Weight	1,35 Kg each
Dimension	Ø42 mm x 1035 mm each
Built-IN Battery	1h 45min at maximum brightness - 20h at minimum brightness
White Light	1,750 K to 20,000 K
Colored Light	RGB+Mint+Amber
Color Rendition	TLCI/CRI Ra ≥ 96 (from 3200K to 6500K)
Beam Angle	120°
IP Rating	IP65 (w/ Waterproof covers for charging port (FP1/2-SP))
Mount	2× M5 thread / 2× Holder / 1× TubeStand

ASTERA TITAN ACCESSORIES

ITEM DESCRIPTION

CALIGRI - AIRTUBE 100 / 50 / ECLIPSE

PRICE € 69



DOPCHOICE - SNAPGRID

PRICE € 35



LIGHTSOCK 40 - LS40

PRICE € 29



LIGHTSOCK 40 - LS40

PRICE € 19



ASTERA HELIOS TUBE KIT

4

ITEM DESCRIPTION



IN THE BOX

8x FP2 Helios Tube (FP2)
 1x PowerBox (FP1-PWB)
 16x EyeBolts (FP1-EBLT)
 16x Holder (AX1-H)
 16x Babypin 1/4" (AX-BBP-1/4)
 8x Stand (AX1-STD)
 1x Charging case for Titan Tube
 1x PowerCON TRUE1 cable
 8x DC cables
 8x Waterproof covers for charging port (FP1/2-SP)

EXTRA

1x caligri Air 50
 4x DopChoice SnapGrid
 1x Astera Box + Tablet
 4x AC adapter

PRICE € 229

NOTES

Power	36 W each
Weight	0,765 Kg each
Dimension	Ø42 mm x 550 mm each
Built-IN Battery	1h 45min at maximum brightness - 20h at minimum brightness
White Light	1,750 K to 20,000 K
Colored Light	RGB+Mint+Amber
Color Rendition	TLCI/CRI Ra ≥ 96 (from 3200K to 6500K)
Beam Angle	120°
IP Rating	IP65 (w/ Waterproof covers for charging port (FP1/2-SP))
Mount	2x M5 thread / 2x Holder / 1x TubeStand

APUTURE INFINIBAR PB12

ITEM DESCRIPTION



IN THE BOX

- 4x FP2 Helios Tube (FP2)
- 1x PowerBox (FP1-PWB)
- 16x EyeBolts (FP1-EBLT)
- 16x Holder (AX1-H)
- 16x BabyPin 1/4" (AX-BBP-1/4)
- 8x Stand (AX1-STD)
- 1x Charging case for Titan Tube
- 1x PowerCON TRUE1 cable
- 8x DC cables
- 8x Waterproof covers for charging port (FP1/2-SP)

EXTRA

- 1x caligri Air 50
- 1x Astera Box + Tablet
- 4x AC adapter

PRICE € 119

NOTES

Power	36 W each
Weight	0,765 Kg each
Dimension	Ø42 mm x 550 mm each
Built-IN Battery	1h 45min at maximum brightness - 20h at minimum brightness
White Light	1,750 K to 20,000 K
Colored Light	RGB+Mint+Amber
Color Rendition	TLCI/CRI Ra ≥ 96 (from 3200K to 6500K)
Beam Angle	120°
IP Rating	IP65 (w/ Waterproof covers for charging port (FP1/2-SP)
Mount	2x M5 thread / 2x Holder / 1x TubeStand

NANLITE PAVOTUBE II 30X RGB

ITEM DESCRIPTION



IN THE BOX

2× PavoTube II 30X
 2× AC Adapter
 2× Power Adapter Rubber Strap
 2× Power Cable 3m
 2× Holder
 4× Eyebolt
 1× Carrying Bag

EXTRA

2× Waterproof Tube

PRICE € 59

NOTES

Power	70 W each
Weight	1,5 Kg each
Dimension	Ø43 mm x 120 mm each
Built-IN Battery	1h 36min at maximum brightness (charging time 3h 30min)
White Light	1,750 K to 12,000 K
Colored Light	RGBWW
Color Rendition	CRI 97 / TLCI 98
Beam Angle	120°
IP Rating	IP66
Mount	¼ Threaded Hole / Holder / Eyebolt

6

NANLITE PAVOTUBE II 6C

ITEM DESCRIPTION

IN THE BOX



- 4x Led Tube
- 4x Egg crate
- 4x USB-C charging cable
- 4x Spigot ¼ - ⅜
- 1x RC-1

PRICE € 69

NOTES

Power	6 W each
Weight	260 gr each
Dimension	Ø38 mm x 250 mm each
Built-IN Battery	60 min at maximum brightness
White Light	2,700 K to 7,500 K
Colored Light	RGBWW
Color Rendition	CRI avg. 95 / TLCI avg. 97
Beam Angle	120°
IP Rating	IP20
Mount	¼ Threaded Hole, integrated magnets

APUTURE MC

ITEM DESCRIPTION

IN THE BOX



- 4× LED Lights
- 2× MC Silicone Rubber Diffuser
- 2× Ball Head
- 2× USB-C charging cable
- 2× Holder
- 4× Eyebolt
- 2× Magic tape
- 2× Carrying Bag

PRICE € 69

NOTES

Power	5 W each
Weight	130 gr each
Dimension	93 x 61 x 17 mm each
Built-IN Battery	2h at maximum brightness
White Light	3,200 K to 6,500 K
Colored Light	RGBWW
Color Rendition	CRI 96+ / TLCI 97+
Beam Angle	120°
IP Rating	IP20
Mount	¼ Threaded Hole

ROSCO DMG DASH

ITEM DESCRIPTION



IN THE BOX

- 4× DMG Dash
- 1× Quad kit
- 4× Flat diffuser panel
- 4× Dome diffuser
- 4× Egg crate
- 4× Gel Holder
- 4× Magnetic mount
- 4× Light stand mount 16mm
- 4× USB-C charging cable
- 4× Single Carrying Bag

PRICE € 149

NOTES

Power	14 W each
Weight	367 gr each
Dimension	128 x 80 x 28 mm each
Built-IN Battery	100 min at maximum brightness
White Light	1,700 K to 10,000 K
Colored Light	RGBWW
Color Rendition	CRI >95 / TLCI >90
Beam Angle	120°
IP Rating	IP65
Mount	¼ Threaded Hole, magnetic mount

ASTERA LUNA BULB

8

ITEM DESCRIPTION



IN THE BOX

8× Luna Bulb
1× Prep Case
1× AC Adapter

EXTRA

1x LunaBulb Accessory Kit

4xLunaSnoot, 4xLunaReflector, 4x LunaDiffuser, 4x LunaLens,
2x LunaShade w/ Blocker 2x LunaShade w/ Diffuser

PRICE € 89

NOTES

Power	3.3 W each
Weight	81 gr each
Dimension	Ø55 x 99 mm each
Built-IN Battery	NO
White Light	1,750 K to 20,000 K
Colored Light	RGB+Mint+Amber
Color Rendition	CRI ≥96 / TLCI ≥96
Beam Angle	240°
IP Rating	IP44
Mount	E27

8

APUTURE ACCENT B7C

ITEM DESCRIPTION



IN THE BOX

- 8× B7C bulb
- 1× VDE cable
- 3× Fuse
- 1× Charging Case

PRICE € 89

NOTES

Power	7 W each
Weight	240 gr each
Dimension	Ø70 x 118 mm each
Built-IN Battery	70 min at maximum brightness
White Light	2,000 K to 10,000 K
Colored Light	RGBWW
Color Rendition	CRI 95+ / TLCI 96+
Beam Angle	120°
IP Rating	IP20
Mount	E27

ASTERA NYX BULB

8

ITEM DESCRIPTION



IN THE BOX

8× NYX Bulb
1× Power Station
1× AC Adapter
4× CupBouncer
8× USB-A/DC cable

EXTRA

1x Astera Box + Tablet

PRICE € 69

NOTES

Power	10 W each
Weight	240 gr each
Dimension	Ø70 x 130 mm each
Built-IN Battery	only with Power Station / Power Bank
White Light	1,750 K to 20,000 K
Colored Light	RGB+Mint+Amber
Color Rendition	CRI ≥96 / TLCI ≥96
Beam Angle	155°
IP Rating	IP20
Mount	E27

ZHIYUN MOLUS X100

ITEM DESCRIPTION



IN THE BOX

- 1x Light
- 2x X100 Grip Battery
- 1x Mini Reflector (ZY Mount)
- 1x Mini Softbox + Grid (ZY Mount)
- 1x Bowens Mount Adaptor
- 1x 120W Power Adaptor
- 1x Pocket Light Strap
- 2x PD Cable USB-A / USB-C
- 1x Socket
- 1x Carrying Bag

PRICE € 49


NOTES

Power	100 W
Weight	head 385 gr + battery pack 440gr
Dimension	144,5 x 94 x 36,1 mm
Built-IN Battery	30 min at maximum brightness
White Light	2,700 K to 6,500 K
Colored Light	NO
Color Rendition	CRI ≥95 / TLCI ≥97
Beam Angle	-
IP Rating	IP20
Mount	1/4" Threaded Hole, 16mm w/ Bowens Mount Adaptor

LIGHTSTAR LUXED-4

ITEM DESCRIPTION

IN THE BOX



- 1x Luxed 4
- 1x White skirt
- 1x Black Skirt
- 1x Power Cable

PRICE € 129

NOTES

Power	720 W
Weight	24 Kg
Dimension	94,5 x 91 x 21,6,1 cm
Built-IN Battery	NO
White Light	2,800 K to 6,500 K
Colored Light	NO
Color Rendition	CRI >95 / TLCI >95
Beam Angle	-
IP Rating	IP20
Mount	28M

DEDOLIGHT DLED7-BI TURBO

ITEM DESCRIPTION



IN THE BOX

- 2x DLED7-BI Turbo
- 2x DP1.2 Imaging Projector
- 2x DP2.2 Shutter Projector
- 2x DT-7-BI-U / AC Ballast
- 2x AC Cable 15A
- 2x D-Tap Cable
- 2x Plate V-Mount
- 2x DPLS / Light Shield RIngs
- 2x DBD8 / Barn Doors
- 2x Spigot
- 10x Gobos

PRICE € 149

NOTES

Power	90 W each
Weight	1,3 Kg each
Dimension	160 x 140 x 200 mm
Built-IN Battery	NO (power supply V-Lock Batteries)
White Light	2,700 K to 6,500 K
Colored Light	NO
Color Rendition	CRI 97 / TLCI 97
Beam Angle	6° - 60° (double helix focus control)
IP Rating	IP20
Mount	16F

LITEGEAR LITEMAT SPECTRUM 4

ITEM DESCRIPTION



IN THE BOX

- 1x LiteMat Spectrum 4 Head
- 1x LiteDimmer Spectrum DC 200
- 1x Power Supply, Desktop, 250W, 12V
- 1x PDX Cable, 7m
- 1x LiteMat 4 Full Diffuser
- 1x LiteMat 4 Half Diffuser
- 1x LiteMat 4 Quarter Diffuser
- 1x LiteMat 4 PolySkirt
- 1x LiteMat 4 Parasquare Louver
- 1x K-Mount

EXTRA

- 1x DoPchoice SNAPGRID® LiteMat 4

PRICE € 349

NOTES

Power	200 W
Weight	5,4 Kg
Dimension	53,6 x 101,5 x 2,5 cm
Built-IN Battery	NO
White Light	2,000 K to 11,000 K
Colored Light	6-color, wide gamut hue and saturation control
Color Rendition	CRI 95 / TLCI 95
Beam Angle	53° HPA
IP Rating	IP20
Mount	K-Mount

LITEGEAR LITEMAT SPECTRUM 2L

ITEM DESCRIPTION



IN THE BOX

- 1x LiteMat Spectrum 2L Head
- 1x LiteDimmer Plus Duo
- 1x PDX Cable, 7m
- 1x LiteMat 2L Full Diffuser
- 1x LiteMat 2L Half Diffuser
- 1x LiteMat 2L Quarter Diffuser
- 1x LiteMat 2L PolySkirt
- 1x LiteMat 2L Parasquare Louver
- 1x K-Mount


PRICE € 269

NOTES

Power	100 W
Weight	2,3 Kg
Dimension	30,5 x 61 x 2,5 cm
Built-IN Battery	NO
White Light	2,000 K to 11,000 K
Colored Light	6-color, wide gamut hue and saturation control
Color Rendition	CRI 95 / TLCI 95
Beam Angle	53° HPA
IP Rating	IP20
Mount	K-Mount

LITEGEAR LITEMAT PLUS 4

ITEM DESCRIPTION



IN THE BOX

- 1x LiteMat Plus 4 Head
- 1x LiteDimmer Plus Duo
- 1x PLX Cable, 3,5m
- 1x LiteMat 4 Full Diffuser
- 1x LiteMat 4 Half Diffuser
- 1x LiteMat 4 Quarter Diffuser
- 1x K-Mount

EXTRA

- 1x DoPchoice SNAPGRID® LiteMat 4

PRICE € 229

NOTES

Power	200 W
Weight	5,2 Kg
Dimension	53,6 x 101,6 x 2,5 cm
Built-IN Battery	NO
White Light	2,600 K to 6,000 K
Colored Light	NO
Color Rendition	CRI 95+ / TLCI 95+
Beam Angle	53°
IP Rating	IP20
Mount	K-Mount

CARPETLIGHT_{CL 44}

8

ITEM DESCRIPTION



IN THE BOX

1× CarpetLight CL44
 1× dopchoice grid for CL44
 1× Slim softbox for CL44
 1× Deep softbox for CL44
 1× Skirt for CL44
 1× Control unit
 1× Frame adapter for CL44 (4 parts)
 1× Controller mount
 1× 24 Volt 220W power supply
 1× Euro power cable
 1× 16 mm spigot
 1× 3-pin connector cable, 5 m
 1x kit case

PRICE € 139

NOTES

Power	169 W
Weight	1,5 Kg
Dimension	123,5 x 121,5 cm
Built-IN Battery	NO
White Light	2800 K to 6000 K
Colored Light	NO
Color Rendition	CRI 96+ / TLCI 97+
Beam Angle	120°
IP Rating	NO
Mount	FRAME / 16M

CARPETLIGHT CARPETINO

8

ITEM DESCRIPTION



IN THE BOX

1x Carpetino
 1x dopchoice grid for Carpetino
 1x Slim softbox for Carpetino
 1x Deep softbox for Carpetino
 1x Skirt for Carpetino
 1x Control unit
 1x Frame adapter for Carpetino (4 parts)
 1x Controller mount
 1x 24 Volt 220W power supply
 1x Euro power cable
 1x 16 mm spigot
 1x 3-pin connector cable, 5 m
 1x kit case

PRICE € 89

NOTES

Power	50 W
Weight	0,2 Kg
Dimension	63 x 23 cm
Built-IN Battery	NO
White Light	2800 K to 6000 K
Colored Light	NO
Color Rendition	CRI 96+ / TLCI 97+
Beam Angle	120°
IP Rating	NO
Mount	FRAME / 16M

DA FARE DIVISIONE!!!

8

AMARAN F22C - F22X - F21C - F21X

ITEM DESCRIPTION



IN THE BOX

- 1x Head
- 1x Control Box
- 1x Power Adapter
- 1x AC Cable
- 1x Extension Cable
- 1x Frame
- 1x Softbox
- 1x 45° Grid
- 1x Tie Down 16F
- 1x Fabric Diffusion 1
- 1x Fabric Diffusion 2
- 2x Spigot

PRICE € 89

NOTES

Power	≤200 W
Weight	0,9 Kg
Dimension	60 x 60 x 0,5 cm
Built-IN Battery	w/ V-Lock Batteries
White Light	2,500 K to 7,500 K
Colored Light	RGBWW
Color Rendition	CRI ≥95 / TLCI ≥97
Beam Angle	120° w/ softbox
IP Rating	IP20
Mount	16F

ALADDIN_{ALL-IN TWO}

8

ITEM DESCRIPTION

IN THE BOX



- 1x All-In Two Head
- 1x Frame Kit
- 1x Power Adapter
- 1x AC Cable
- 1x D-Tap Cable
- 1x Battery Pouch
- 1x Frame w/ Ball Head
- 1x Extension Cable
- 1x Diffusion

EXTRA

- 1x Aladdin China Ball

PRICE € 79

NOTES

Power	100 W Bi Color / 40 W RGB
Weight	0,46 Kg
Dimension	60 x 30 x 1,8 cm
Built-IN Battery	w/ V-Lock Batteries
White Light	2,200 K to 12,000 K
Colored Light	RGBWW
Color Rendition	CRI 98 / TLCI 98
Beam Angle	140°
IP Rating	IP20
Mount	16F

PIPELIGHT PIPE WIDE 84 kit

ITEM DESCRIPTION



IN THE BOX

- 1x Pipe Wide 84 Head
- 2x Controller
- 2x Header Cable 5m
- 2x AC Cable
- 1x Mount System + 16M
- 1x Full Side Skirt
- 1x Grid
- 1x Air Pump
- 1x Repair Kit

PRICE € 299

NOTES

Power	800 W + 800 W
Weight	3,6 Kg
Dimension	210 x 120 x 20 cm
Built-IN Battery	NO
White Light	2,650 K to 6,000 K
Colored Light	NO
Color Rendition	CRI 96 / TLCI 98
Beam Angle	-
IP Rating	IP67
Mount	16F

APUTURE INFINIMAT 2x4

ITEM DESCRIPTION



IN THE BOX

- 1x Infinimat 2x4 Head
- 1x Inflatable Softbox 2x4
- 1x Skirt
- 1x Grid
- 1x Control Box w/ V-Mount
- 1x Head Cable 7,5m
- 1x AC Cable 6m
- 1x Mounting Bracket
- 1x K-Mount Arm
- 1x K-Mount Clamp
- 1x Air Pump
- 1x Repair Kit

PRICE € 89

NOTES

Power	324 W
Weight	4,8 Kg
Dimension	122 x 64 x 17 cm
Built-IN Battery	w/ V-Lock Batteries
White Light	2,000 K to 10,000 K
Colored Light	RGBWW
Color Rendition	CRI ≥96 / TLCI ≥97
Beam Angle	-
IP Rating	IP65
Mount	16M

APUTURE STORM 1200X

ITEM DESCRIPTION



IN THE BOX

- 1x Storm 1200x Head
- 1x Control Box
- 1x Lightning Clamp
- 1x Wide Reflector 45° Angle
- 1x Control Box
- 1x Weatherproof Head Cable 7.5m
- 1x AC Cable 6m

EXTRA

- 1x Hyper Reflector
- 1x CF12 Fresnel Lens
- 1x CF12 Barn Doors
- 1x Barn Doors Adapter (without Fresnel Lens)
- 1x Spotlight Max 19° / 36° Lens

PRICE € 189

NOTES

Power	1200 W
Weight	9,5 Kg
Dimension	33.4 x 33.6 x 25.0 cm
Built-IN Battery	NO
White Light	BLAIR / 2,500 K to 10,000 K
Colored Light	-
Color Rendition	CRI ≥95 / TLCI ≥95
Beam Angle	45° w/ wide reflector
IP Rating	IP65
Mount	28M / ProLock Bowens Mount

APUTURE STORM 400X

ITEM DESCRIPTION



IN THE BOX

1x Storm 400x Head
 1x Control Box
 1x Lightning Clamp
 1x Wide Reflector 45° Angle
 1x Control Box
 1x Weatherproof Head Cable 7.5m
 1x AC Cable 6m

EXTRA

1x Hyper Reflector
 1x CF12 Fresnel Lens
 1x CF12 Barn Doors
 1x Barn Doors Adapter (without Fresnel Lens)
 1x Spotlight 19°/26/36° Lens

PRICE € 189

NOTES

Power	400 W
Weight	9,5 Kg
Dimension	33.4 x 33.6 x 25.0 cm
Built-IN Battery	NO
White Light	BLAIR / 2,500 K to 10,000 K
Colored Light	-
Color Rendition	CRI ≥95 / TLCI ≥95
Beam Angle	45° w/ wide reflector
IP Rating	IP65
Mount	28M / ProLock Bowens Mount

APUTURE STORM 1000C

ITEM DESCRIPTION



IN THE BOX

1x Storm 1000c Head
 1x Control Box
 1x Lightning Clamp
 1x Wide Reflector 45° Angle
 1x Control Box
 1x Head Cable 7.5m
 1x AC Cable 6m

EXTRA

1x Hyper Reflector
 1x CF12 Fresnel Lens
 1x CF12 Barn Doors
 1x Barn Doors Adapter (without Fresnel Lens)
 1x Spotlight Max 19° / 36° Lens

PRICE € 199

NOTES

Power	1000 W
Weight	9,66 Kg
Dimension	33.5 x 23.2 x 25.1 cm
Built-IN Battery	NO
White Light	BLAIR-CG / 11,800 K to 20,000 K
Colored Light	Full BLAIR-CG Color System (Blue, Lime, Amber, Indigo, Red, Cyan, Green)
Color Rendition	CRI 97 / TLCI 97
Beam Angle	67°
IP Rating	IP65
Mount	28M / ProLock Bowens Mount

APUTURE STORM 80C

ITEM DESCRIPTION



IN THE BOX

- 1x Storm 80c Head
- 1x Mini ProLock Hyper Reflector
- 1x Mini Lantern Diffuser
- 1x AC Power Adapter
- 1x AC Power Cable 4m

EXTRA

- Light Dome 40
- Lantern 30
- CF4 Fresnel Lens
- CF4 Barn Doors
- Spotlight mini 19°-36°
- Bowens Mount Adapter

PRICE € 69

NOTES

Power	80 W
Weight	1,35 Kg
Dimension	10.1 x 10.4 x 14.7 cm
Built-IN Battery	NO
White Light	BLAIR-CG / 1,800 K to 20,000 K
Colored Light	BLAIR-CG Color System (Blue, Lime, Amber, Indigo, Red, Cyan, Green)
Color Rendition	CRI 97 / TLCI 99
Beam Angle	60°
IP Rating	IP65
Mount	16F / Mini ProLock Bowens Mount

APUTURE LS 1200D PRO

ITEM DESCRIPTION



IN THE BOX

1x LS 1200d Pro Head
 1x Control Box
 1x Lightning Clamp
 1x Weatherproof Head Cable 7.5m
 1x AC Cable 6m

EXTRA

1x Hyper Reflector
 1x F10 Fresnel Lens
 1x F10 Barn Doors
 1x Spotlight Max 19° / 36° Lens

PRICE € 179

NOTES

Power	1200 W
Weight	8,95 Kg
Dimension	33.23 x 23.16 x 21.63 cm
Built-IN Battery	NO
White Light	5,600 K
Colored Light	NO
Color Rendition	CRI ≥96 / TLCI ≥98
Beam Angle	66°
IP Rating	IP54
Mount	28M / Bowens Mount

APUTURE^{LS 600C PRO II}

ITEM DESCRIPTION



IN THE BOX

1x LS 600C Pro II Head
 1x Control Box
 1x Lightning Clamp
 1x Wide Reflector 45° Angle
 1x Weatherproof Head Cable 7.5m
 1x AC Cable 6m

EXTRA

1x Hyper Reflector
 1x F10 Fresnel Lens
 1x F10 Barn Doors
 1x Spotlight Mount 19° / 26° / 36°

PRICE € 139

NOTES

Power	600 W
Weight	5,9 Kg
Dimension	45.3 x 26.7 x 15 cm
Built-IN Battery	NO
White Light	2,300 K to 10,000 K
Colored Light	RGBWW
Color Rendition	CRI ≥95 / TLCI ≥98
Beam Angle	45° w/ wide reflector
IP Rating	IP54
Mount	16F / 28M / Bowens Mount

APUTURE^{LS 600X PRO}

ITEM DESCRIPTION



IN THE BOX

1x LS 600x Pro Head
 1x Control Box
 1x Lightning Clamp
 1x Wide Reflector 45° Angle
 1x Weatherproof Head Cable 7.5m
 1x AC Cable 6m

EXTRA

1x Hyper Reflector
 1x F10 Fresnel Lens
 1x F10 Barn Doors
 1x Spotlight Mount 19° / 26° / 36°

PRICE € 129

NOTES

Power	≤600 W
Weight	5,16 Kg
Dimension	30.2 x 14.7x 14.9 cm
Built-IN Battery	NO
White Light	2,700 K to 6,500 K
Colored Light	NO
Color Rendition	CRI ≥96 / TLCI ≥98
Beam Angle	45° w/ wide reflector
IP Rating	-
Mount	16F / 28M / Bowens Mount

AMARAN_{300c}

ITEM DESCRIPTION



IN THE BOX

1x 300c Head
1x Lightning Clamp
1x Reflector
1x AC Power Supply
1x AC Power Cable

EXTRA

1x Hyper Reflector
1x F10 Fresnel Lens
1x F10 Barn Doors
1x Spotlight Mount 19° / 26° / 36°

PRICE € 89

NOTES

Power	300 W
Weight	2,63 Kg
Dimension	25.0 x 19.4 x 25.1 cm
Built-IN Battery	NO
White Light	2,500 K to 7,500 K
Colored Light	RGBWW
Color Rendition	CRI 95+ / TLCI 95+
Beam Angle	90°
IP Rating	-
Mount	16F / Bowens Mount

APUTURE_{LS 300X}

ITEM DESCRIPTION

IN THE BOX



- 1x LS 300x Pro Head
- 1x Control Box
- 1x Lightning Clamp
- 1x Wide Reflector 55° Angle
- 1x Weatherproof Head Cable 7.5m
- 1x AC Cable 6m

EXTRA

- 1x Hyper Reflector
- 1x F10 Fresnel Lens
- 1x F10 Barn Doors
- 1x Spotlight Mount 19° / 26° / 36°



PRICE € 129

NOTES

Power	≤350 W
Weight	3,2 Kg
Dimension	30 x 14 x 12 cm
Built-IN Battery	w/ V-Lock Batteries
White Light	2,700 K to 6,500 K
Colored Light	NO
Color Rendition	CRI ≥96 / TLCI ≥95
Beam Angle	55° w/ wide reflector
IP Rating	-
Mount	16F / Bowens Mount

APUTURE_{LS 60X}

ITEM DESCRIPTION



IN THE BOX

1× LS 60x Head
 1× Bowens Mount Adapter
 1× Barn Doors
 1× Battery Case NP-F
 1× AC power with Cable
 1× D-tap to DC Cable

EXTRA

1x Aputure Fresnel 2x
 1x Light Dome Mini III

PRICE € 69

NOTES

Power	60 W
Weight	1,8 Kg
Dimension	28 x 15,6 x 12,7 cm
Built-IN Battery	w/ V-Lock / NP-F Batteries
White Light	2,700 K to 6,500 K
Colored Light	NO
Color Rendition	CRI ≥96 / TLCI ≥98
Beam Angle	15°- 45° (spot / flood)
IP Rating	-
Mount	16F / Bowens Mount

LIGHT MODIFIERS

ITEM DESCRIPTION



JINBEI
Octa 150
49 €



JINBEI
Octa 120
39 €



JINBEI
Octa 120 - Deep
39 €



JINBEI
Strip 140x35
39 €



APUTURE
Lantern 90 / 120
49 € / 69 €



APUTURE
Light Dome 150
69 €



APUTURE
Light Dome 120
49 €



APUTURE
Light Dome II / III
49 €



APUTURE
Light Dome 30x120
49 €



APUTURE
Light Dome Mini III
39 €

CHIMERA BANK

ITEM DESCRIPTION



NOTES

NAME	Bank S	Bank M	Bank L
FRONT DIAMETER	60x80	90x120	135x180
DEEP	33 cm (13")	41 cm (16")	75 cm (29,5")
PRICE	€39	€49	€59
PRICE GRID	€29	€39	€49

ARRI M40

ITEM DESCRIPTION



IN THE BOX

- 1x M40 Head
- 2x Bulb 4000 W
- 1x Barn Doors
- 1x Ballast / 32A
- 1x Extra Head Cable 7m

PRICE € 169

NOTES

Power	4000 W
Weight	22 Kg
Dimension	53 x 83 x 52 cm
Built-IN Battery	NO
White Light	6000 K
Colored Light	NO
Color Rendition	-
Beam Angle	18° to 52°
IP Rating	IP23
Mount	28M

ARRI M18

ITEM DESCRIPTION



IN THE BOX

- 1x M18 Head
- 2x Bulb 1800 W
- 1x Barn Doors
- 1x Ballast / 16A
- 1x Extra Head Cable 7m
- 2x Scrim

PRICE € 129

NOTES

Power	1800 W
Weight	14 Kg
Dimension	36 x 65 x 39 cm
Built-IN Battery	NO
White Light	6000 K
Colored Light	NO
Color Rendition	-
Beam Angle	20° to 60°
IP Rating	IP23
Mount	28M

ARRI LITE 2000 Blonde

ITEM DESCRIPTION



IN THE BOX

- 1x Head
- 1x Bulb 2000 W
- 1x Barn Doors

PRICE € 29

NOTES

Power	2000 W
Weight	3 Kg
Dimension	36 x 65 x 39 cm
Built-IN Battery	NO
White Light	6000 K
Colored Light	NO
Color Rendition	-
Beam Angle	20° to 60°
IP Rating	IP23
Mount	28M

TECNOFLY 2008 LUNA 250

8

ITEM DESCRIPTION



IN THE BOX

1x Luna 250 Head
5x Ropes 10m

EXTRA

Helium 900€ approx.

PRICE € 199

NOTES

Power	2000 W
Weight	14 Kg
Dimension	Ø 2,5 m
Built-IN Battery	NO
White Light	3200 K - Tungsten
Colored Light	NO
Color Rendition	-
Beam Angle	180°
IP Rating	-
Mount	-

LIGHTBRIDGE CRLS C 100

ITEM DESCRIPTION

IN THE BOX



1× Luna 250 Head
5× Ropes 10m

PRICE € 199

NOTES

Power	2000 W
Weight	14 Kg
Dimension	Ø 2,5 m
Built-IN Battery	NO
White Light	3200 K - Tungsten
Colored Light	NO
Color Rendition	-
Beam Angle	180°
IP Rating	-
Mount	-

LIGHTBRIDGE CRLS C-DRIVE

ITEM DESCRIPTION

IN THE BOX



1x Luna 250 Head
5x Ropes 10m

PRICE € 199

NOTES

Power	2000 W
Weight	14 Kg
Dimension	Ø 2,5 m
Built-IN Battery	NO
White Light	3200 K - Tungsten
Colored Light	NO
Color Rendition	-
Beam Angle	180°
IP Rating	-
Mount	-

DMX - DIMMER

8

ITEM DESCRIPTION

NOTES



CONTROL FADER	6
5 PIN DMX PORT	1
USB PORT	1
DISPLAY MULTI-TOUCH	5"

EXALUX Control one starter kit

79 €



DISTANZA DI TRASMISSIONE	500-1000 m
PESO	185 g
PROTOCOLLO DMX	DMX512-A
FREQUENZA DMX	0,8 – 830 Hz
ANTENNA	Omnidirezionale, 2.4GHZ 2.0dBi, RP-SMA
COMPATIBILITÀ	Dispositivi DMX

EXALUX Connect TX / RX

39 € / TX 39 € / RX Cad.



CONTROL FADER	20
5 PIN DMX PORT	1
USB PORT	1
PLAYBACK PAGES	10 (200 TOTALI)
DISPLAY MULTI-TOUCH	7"
RDM DISCOVERY	YES

COLOURSOURCE ETC 20Ch

89 €

OPTOMA ZU820T (7500 ANSI Lumen)

8

ITEM DESCRIPTION

IN THE BOX



1x Projector
1x power Cable


PRICE € 499

NOTES

Power	260 W
Weight	14 Kg
Dimension	486 mm x 176 mm x 432.5 mm
Built-IN Battery	NO
Light Source	Laser
Resolution	1920 x 1200 Pixels
Display Format (s)	4:3 / 16:9
Brightness	8800 Lumens
Lens	Horizontal + Vertical Lens Shift
Minimum Focal Length	18.72 mm
Maximum Focal Length	29.59 mm
Autofocus	no
Video Inputs	HDMI 2.0 / HDMI 1.4 / VGA
Video Outputs	HDMI / VGA
Audio Inputs	Microphone (3.5 mm Jack) / Line in (3.5 mm Jack)

LIGHTING FILTERS


ITEM DESCRIPTION



<i>DIFFUSION</i>	<i>Full - 1/2 - 1/4 - 1/8</i>	<i>5 € / Feet</i>
<i>GRID CLOTH</i>	<i>Full - 1/2 - 1/4 - 1/8</i>	<i>10 € / Feet</i>
<i>CTO</i>	<i>Full - 1/2 - 1/4 - 1/8</i>	<i>5 € / Feet</i>
<i>CTB</i>	<i>Full - 1/2 - 1/4 - 1/8</i>	<i>5 € / Feet</i>
<i>CTS</i>	<i>Full - 1/2 - 1/4 - 1/8</i>	<i>5 € / Feet</i>
<i>PLUS GREEN</i>	<i>Full - 1/2 - 1/4 - 1/8</i>	<i>5 € / Feet</i>
<i>MINUS GREEN</i>	<i>Full - 1/2 - 1/4 - 1/8</i>	<i>5 € / Feet</i>
<i>ND</i>	<i>0.3 - 0.6 - 0.9</i>	<i>5 € / Feet</i>
<i>PRIMARY RED</i>		<i>5 € / Feet</i>
<i>DEEP AMBER</i>		<i>5 € / Feet</i>
<i>AMBER</i>		<i>5 € / Feet</i>
<i>MOONLIGHT BLUE</i>		<i>5 € / Feet</i>
<i>DEEP PURPLE</i>		<i>5 € / Feet</i>
<i>HAMPSHIRE FROST</i>		<i>10 € / Feet</i>
<i>SODIUM</i>		<i>5 € / Feet</i>
<i>CINEFOIL</i>	<i>Rotolo</i>	<i>60 €</i>

BUTTERFLY


ITEM DESCRIPTION



SIZE	NAME	PRICE
6"x6" / 2x2 m	Modular Butterfly Frame	€ 39
12"x12" / 4x4 m	Modular Butterfly Frame	€ 49
20"x20" / 6x6 m	Modular Butterfly Frame	€ 89
6" / 2 m	Butterfly Male / T-Bone (Cristo)	€ 39
12" / 4 m	Butterfly Male / T-Bone (Cristo)	€ 39
20" / 6 m	Butterfly Male / T-Bone (Cristo)	€ 39

CLOTHS

ITEM DESCRIPTION



SIZE

6"x6" / 12"x12" / 20"x20"

12"x12"

6"x6" / 12"x12" / 20"x20"

6"x6" / 12"x12" / 20"x20"

6"x6" / 12"x12" / 20"x20"

6"x6" / 12"x12"

6"x6" / 12"x12"

6"x6" / 12"x12"

6"x6"

6"x6" / 12"x12" / 20"x20"

6"x6" / 12"x12"

NAME

Black solid

White Solid

Grid Cloth Full - 1/2 - 1/4

Silk Full - 1/2 - 1/4

Bemberg

Bleached

Unbleached

Green/Blu

Duo Muslin

Checkerboard S/G

HiLite

PRICE

€ 39 - € 49 - € 89

€ 49

€ 39 - € 49 - € 89

€ 39 - € 49 - € 89

€ 39 - € 49 - € 89

€ 39 - € 49

€ 39 - € 49

€ 39 - € 49

€ 39

€ 39 - € 49 - € 89

€ 39 - € 49

MANFROTTO SKYLITE RAPID

ITEM DESCRIPTION



2X1

2X2


3X3

NOTES

NAME	2X1	2X2	3X3
FRAME	€19	€29	€39
DIFFUSION 0.75	€9	€9	€9
DIFFUSION 1.25	€9	€9	€9
SUNFIRE-WHITE	€9	€9	€9
ULTRABOUNCE	€9	€9	€9
SILVER/WHITE	€9	€9	€9
BLACK SOLID			€19
GREEN/BLUE			€19
SKYLIGHT RAPID	€0	€0	€0

LIGHT TOOLS EGG CRATE

ITEM DESCRIPTION



IN THE BOX

PRICE

EGG CRATE 2X2

€ 149

EGG CRATE 4X4

€ 199

FLAG

ITEM DESCRIPTION



NOTES

FOCAL	EU22is	EU32i	EU70is
APERTURE	T 2.8	T 1.4	T 2.8
DIAMETER (internal)	82Ø	58Ø	62Ø
WEIGHT	0.84 kg / 1.85 lb	0.3 kg / 0.7 lb	0.7 kg / 1.6 lb
CLOSE FOCUS	0.28m / 9'2"	0.25m / 10"	0.31m / 1'
COVERAGE	FX	FX	FX
MOUNT	F	F	F

HONDA INVERTER GENERATORS

ITEM DESCRIPTION



NOTES

NAME	EU22is	EU32i	EU70is
POWER	2.2 Kw	3.2 Kw	7Kw
PRICE	€49	€79	€149

PORTABLE POWER STATIONS

ITEM DESCRIPTION



NOTES

NAME	Bluetti	Bluetti	Instagrid	Ecoflow
POWER	286 Wh	2.6Kwh	2.1 Kwh	3.6 Kwh
PRICE	€39	€149	€119	€199